

Description

Rope Socket

Rope Sockets provide a strong, and simple connection between the wire line, and the sinker bars. The swivel permits the swab to turn freely under load and the body is provided with fishing neck grooves.



Specifications

http://www.westernsilverline.com/Literature/Swabbing%20Equipment/Rope_Socket.pdf

Description	O.D. in Inches	Line Size in Inches	Bottom Connection	Fish Neck O.D. in Inches	O.D. in mm	Fish Neck O.D. in mm
Rope Socket and Swivel Assembly	1-1/2"	1/2"	3/4" S.R Box	1.125"	38.10	28.575
Rope Socket and Swivel Assembly	1-1/2"	9/16"	3/4" S.R Box	1.125"	38.10	28.575
Swivel Sub	1-1/2"		3/4" S.R Box		38.10	



Rope Socket

Swivel Sub	1-1/2"		5/8" S.R Box		38.10	
Swivel Sub	1-1/4"		5/8" S.R Box		31.75	
Rope Socket and Swivel Assembly	1-3/16"	1/2"	5/8" S.R Box	1.125"	30.16	
Rope Socket and Swivel Assembly	1-3/16"	9/16"	5/8" S.R Box	1.125"	30.16	
Rope Socket and Swivel Assembly	1-3/4"	1/2"	3/4" S.R Box	1.375"	44.45	34.925
Rope Socket and Swivel Assembly	1-3/4"	5/8"	3/4" S.R Box	1.375"	44.45	
Rope Socket and Swivel Assembly	1-3/4"	7/16"	3/4" S.R Box	1.375"	44.45	
Rope Socket and Swivel Assembly	1-3/4"	9/16"	3/4" S.R Box	1.375"	44.45	34.925
Swivel Sub	1-3/4"		3/4" S.R Box		44.45	
Swivel Sub	1-3/4"		5/8" S.R Box		44.45	
Body (Top)	1-3/4"	1/2"		1.375"	44.45	34.925
Body (Top)	1-3/4"	5/8"		1.375"	44.45	34.925
Body (Top)	1-3/4"	7/16"		1.375"	44.45	34.925
Body (Top)	1-3/4"	9/16"		1.375"	44.45	34.925
Rope Socket and Swivel Assembly	1-3/8"	1/2"	5/8" S.R Box	1.188"	34.93	30.175
Rope Socket and Swivel Assembly	1-3/8"	1/2"	3/4" S.R Box	1.188"	34.93	30.175
Rope Socket and Swivel Assembly	1-3/8"	9/16"	5/8" S.R Box	1.188"	34.93	30.175
Rope Socket and Swivel Assembly	1-3/8"	9/16"	3/4" S.R Box	1.188"	34.93	30.175
Body (Top)	1-3/8"	1/2"		1.188"	34.93	30.175
Body (Top)	1-3/8"	9/16"		1.188"	34.93	30.175



CANAM
pipe & supply

~est. 1990

Rope Socket

Swivel Sub	1-3/8"		3/4" S.R Box		34.93	
Swivel Sub	1-3/8"		5/8" S.R Box		34.93	