


Description

Swab Cups- NUF Style

The GE-NUF is a heavy load all rubber cup that provides maximum lifting capacity. Bonded to either standard steel or aluminum bushings, and available in a wide range of sizes, this cup is a good choice for deep well applications. This cup is designed for high performance and heavy loads. Made of our special Frac Fluid compound, it will perform under the toughest conditions.



Drawing



SWAB CUP, GE-NUF

Specifications

Nom. OD (inch)	Core & Description	Cup OD	Part #	Cup ID
2-3/8" (2")	Steel Core Frac Swab Cup	1.950"	GE-NUF20SF	1.120"
2-7/8" (2-1/2")	Steel Core Frac Swab Cup	2.390"	GE-NUF25SF	1.370"
3-1/2" (3")	Steel Core Frac Swab Cup	2.920"	GE-NUF35SF	1.370"

Nom. OD (inch)	Core & Description	Cup OD	Part #	Cup ID
1.900" (1-1/2")	Aluminum Core Swab Cup	1.585"	01-1030	0.902"
1.900" (1-1/2")	Aluminum Core Undersize Swab Cup	1.512"	01-1020	0.902"
2.000"	Aluminum Core Swab Cup	1.650"	01-1040	0.902"
2.063" (1-3/4")	Aluminum Core Swab Cup	1.695"	01-1050	0.902"
2.063" (1-3/4")	Aluminum Core Swab Cup	1.650"	01-1040	0.902"
2-3/8" (2")	Steel Core Swab Cup	1.935"	01-1090	1.120"
2-3/8" (2")	Steel Core Undersize Swab Cup	1.935"	01-1070	1.120"
2-3/8" (2")	Aluminum Core Swab Cup	1.935"	01-1080	1.120"
2-3/8" (2")	Aluminum Core Swab Cup	1.585"	01-1030	0.902"
2-7/8" (2-1/2")	Steel Core Swab Cup	2.425"	02-1050	1.334"
2-7/8" (2-1/2")	Aluminum Core Undersize Swab Cup	2.360"	02-1020	1.334"
2-7/8" (2-1/2")	Steel Core Undersize Swab Cup	2.360"	02-1030	1.334"

Specifications

Nom. OD (inch)	Core & Description	Cup OD	Part #	Cup ID
2-7/8" (2-1/2")	Aluminum Core Swab Cup	2.290"	02-1010	1.120"
2-7/8" (2-1/2")	Aluminum Core Undersize Swab Cup	2.260"	11-0380	0.902"
2-7/8" (2-1/2")	Aluminum Core Swab Cup	2.235"	02-1070	1.120"
2-7/8" (2-1/2")	Steel Core Swab Cup	2.235"	02-1075	1.120"
2-7/8" (2-1/2")	Steel Core Undersize Swab Cup	2.170"	02-1067	1.120"
2-7/8" (2-1/2")	Steel Core Swab Cup	2.125"	01-1062	1.120"
2-7/8" (2-1/2")	Aluminum Core Undersize Swab Cup	1.935"	01-1060	1.120"
2-7/8" (2-1/2")	Steel Core Undersize Swab Cup	1.935"	01-1070	1.120"
4-1/2"	Steel Core Swab Cup	4.000"	03-1010	1.120"
5-1/2"	Steel Core Swab Cup	4.867"	03-1020	1.120"