


Description

Swab Cups- TUF Style

The design of the GE-TUF cup, with its internal metal reinforcement which maintains the shape of the cup, makes this an excellent choice for deep hot wells or rough and corroded tubing and casing. Strong enough for heavy loads, its flexibility also allows it to work in light load situations.



Drawing



SWAB CUP, GE-TUF

Specifications

Nom. OD (inch)	Core & Description	Cup OD	Part #	Cup ID
2-3/8"	Steel Core Wire Swab Cup	1.92"	GE-TUF20	1.08"
2-7/8"	Steel Core Wire Swab Cup	2.33"	GE-TUF25	1.34"
3-1/2"	Steel Core Wire Swab Cup	2.90"	GE-TUF35	1.34"
4-1/2"	Steel Core Wire Swab Cup	3.90"	GE-TUF45	2.43"
5-1/2"	Steel Core Wire Swab Cup	4.97"	GE-TUF55	2.43"

Nom. OD (inch)	Core & Description	Cup OD	Part #	Cup ID
1.900" (1-1/2")	Steel Core Wire Swab Cup	1.530"	09-1035	0.875"
2.063" (1-3/4")	Steel Core Wire Swab Cup	1.630"	12-0430	0.875"
2-3/8" (2")	Steel Core Wire Swab Cup	1.935"	090-1040	1.090"
2-3/8" (2")	Steel Core Wire Swab Cup	1.530"	09-1035	0.875"
2-7/8" (2-1/2")	Steel Core Wire Swab Cup	2.370"	10-1025	1.355"
2-7/8" (2-1/2")	Steel Core Wire Swab Cup	2.150"	12-0500	1.090"
2-7/8" (2-1/2")	Steel Core Wire Swab Cup	1.935"	09-1040	1.090"
3-1/2" (3")	Steel Core Wire Swab Cup	2.940"	10-1030	1.355"
3-1/2" (3")	Steel Core Wire Swab Cup	2.725"	10-1035	1.355"
4-1/2"	Steel Core Wire Swab Cup	4.000"	11-1015	2.436"
5-1/2"	Steel Core Wire Swab Cup	4.960"	11-1017	2.436"