

SYSTEM INFORMATION

The Redtail Hawk Gauge Head forms the core of a complete premium level indication system. To take advantage of the full value of a Hawkeye Level Indication system, be sure to specify a complete Redtail Hawk Level Indication System with components that are designed and engineered to work together.

A complete system includes:

- Redtail Hawk Gauge Head (Highlighted at right)
- Graduated Gauge Board, with volume in [m³]
- Top Roller Guide
- Freeze-resistant Indicator & Indicator Guides
- Horizontal Polyethylene Float (LLDPE)
- Float Guides

SYSTEM OPTIONS & ACCESSORIES

Goshawk Level Transmitter

The Redtail Hawk can support the Goshawk Level Transmitter, a bolt-on accessory that adds 4 - 20 mA 24VDC Level Output in addition to the mechanical gauge board display. See the Goshawk Transmitter brochure for more information.

Stainless Steel Float

Suitable for high-temperature applications.

Float Guide Anchor

To secure float guides when tank floor cannot be accessed or modified.

Gauge Board Mounting Clips

Weld-on or magnetic clips to secure gauge board to tank wall.

Level Switches

Electrical or Pneumatics Mechanical point switches.

ORDERING INFORMATION

Complete Redtail Hawk Level Indication System

1. Specify "Redtail Hawk Level Indication System"
2. Specify Tank Height, and Volume
3. Specify desired gauge board graduations (volumetric [m³] is standard)
4. Specify any options or accessories required.

Individual Redtail Hawk Gauge Head

1. Specify "Redtail Hawk Gauge Head"

